



Printing date 06.07.2021 Version number 5 (replaces version 4) Issue: 06.07.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: ENVIROCLEAN
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Flush-water fluid for vacuum toilets
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

EVAC GmbH Feldstr. 124 D - 22880 Wedel

Tel.: (+49)(0)41 03 91 68 0 Fax: (+49)(0)41 03 91 68 90 e-Mail: evac.info@evac-train.com

· Further information obtainable from:

Department laboratory

e-Mail: eric.lehmann@evac-train.com

· 1.4 Emergency telephone number: Poison Centre Munich, Tel.: +49 89 19240

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GH507

- · Signal word Warning
- **Hazard statements**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

P337+P313 If eye irritation persists: Get medical advice/attention.

(Contd. on page 2)





Printing date 06.07.2021 Version number 5 (replaces version 4) Issue: 06.07.2021

Trade name: ENVIROCLEAN

(Contd. of page 1)

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

- Dangerous components:	
CAS: 34590-94-8 EINECS: 252-104-2 Reg.nr.: 01-2119450011-60 Dipropylene glycol monomethyl ether substance with a Community workplace exposure limit	≥10-<20%
CAS: 7173-51-5 didecyldimethylammonium chloride EINECS: 230-525-2 Skin Corr. 1B, H314; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H400 (M=10); Aquatic Chronic 2, H411; Acute Tox. 4, H302 Reg.nr.: 01-2119945987-15	≥1-<2.5%

·SVHC

None of the ingredients is listed.

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · General information Immediately remove any clothing soiled by the product.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Immediately rinse with water.
- · After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing Drink plenty of water and provide fresh air. Call for a doctor immediately.
- \cdot 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · **Protective equipment:** Wear self-contained respiratory protective device.

(Contd. on page 3)





Printing date 06.07.2021 Version number 5 (replaces version 4) Issue: 06.07.2021

Trade name: ENVIROCLEAN

(Contd. of page 2)

· Additional information

Contaminated extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:		
34590-94-8 Dipropylene glycol monomethyl ether		
WEL (Great Britain)	Long-term value: 308 mg/m³, 50 ppm Sk	
IOELV (European Union)	Long-term value: 308 mg/m³, 50 ppm Skin	

Regulatory information

WEL (Great Britain): EH40/2020

IOFI V (European Únion): (EU) 2019/1831

	IOLLY (Luropean onion). (Lo) 2013/1001				
	· DNELs				
ľ	34590-94-8 Dipropylene glycol monomethyl ether				
	Oral	DNEL (Long-term - systemic effects)	36 mg/kg bw/day (general population)		
	Dermal	DNEL (Long-term - systemic effects)	283 mg/kg bw/day (worker)		
			121 mg/kg bw/day (general population)		
	Inhalative	DNEL (Long-term - systemic effects)	308 mg/m³ (worker)		

(Contd. on page 4)





Printing date 06.07.2021 Version number 5 (replaces version 4) Issue: 06.07.2021

Trade name: ENVIROCLEAN

(Contd. of page 3)

37.2 mg/m³ (general population)

· PNECs

34590-94-8 Dipropylene glycol monomethyl ether

PNEC 4,168 mg/l (sewage treatment plant)

PNEC 2.74 mg/kg dw (ground) PNEC aqua 1.9 mg/l (sea water)

190 mg/l (intermittent releases)

19 mg/l (freshwater)

PNEC sediment 7.02 mg/kg dw (sea water)

70.2 mg/kg dw (freshwater)

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

- · Respiratory protection: Not required.
- · Hand protection



Protective gloves (EN 374)

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended. Because of the large variety of types, the instructions of the manufacturer must be observed.

· Eye/face protection



Safety glasses

· Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Colour: turquoise

(Contd. on page 5)





Printing date 06.07.2021 Version number 5 (replaces version 4) Issue: 06.07.2021

Trade name: ENVIROCLEAN

(Contd. of page 4)

Odour: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: undetermined

· Boiling point or initial boiling point and boiling

range 100 °C · Flammability Not applicable.

· Lower and upper explosion limit

Lower: 1.1 Vol %
 Upper: 14.0 Vol %
 Flash point: Not applicable

· **Auto-ignition temperature:** Product is not selfigniting.

· **Decomposition temperature:** Not determined.

· pH at 20 °C

· Viscosity:

Kinematic viscositydynamic:Not determined.Not determined.

Solubility

Water: Fully miscible
 Partition coefficient n-octanol/water (log value)
 Not determined.

Vapour pressure at 20 °C:

· Density and/or relative density

• Density at 20 °C: 1.06 g/cm³ (DIN 51757)

Relative densityVapour densityNot determined.Not determined.

· 9.2 Other information

· Appearance:

· Form: Fluid

· Important information on protection of health and environment, and on safety.

· Ignition temperature: 207 °C

• **Explosive properties:** Product does not present an explosion hazard.

23 hPa

Change in condition

• Evaporation rate Not determined.

Information with regard to physical hazard classes

· Explosives not applicable Flammable gases not applicable · Aerosols not applicable · Oxidising gases not applicable · Gases under pressure not applicable Flammable liquids not applicable · Flammable solids not applicable · Self-reactive substances and mixtures not applicable · Pyrophoric liquids not applicable · Pyrophoric solids not applicable · Self-heating substances and mixtures not applicable

· Substances and mixtures, which emit flammable

gases in contact with water not applicable
Oxidising liquids not applicable
Oxidising solids not applicable

(Contd. on page 6)





Printing date 06.07.2021 Version number 5 (replaces version 4) Issue: 06.07.2021

Trade name: ENVIROCLEAN

(Contd. of page 5)

Organic peroxides not applicable
 Corrosive to metals not applicable
 Desensitised explosives not applicable

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	· LD/LC50 values relevant for classification: 34590-94-8 Dipropylene glycol monomethyl ether		
34590-94-			
Oral	LD ₅₀	5,135 mg/kg (rat)	
Dermal	LD ₅₀	9,510 mg/kg (rat)	
Inhalative	LC ₅₀ /4 h	55-60 mg/l (rat)	
7173-51-5	7173-51-5 didecyldimethylammonium chloride		
Oral	LD ₅₀	238 mg/kg (rat) (OECD 401)	
Dermal	LD₅o	3,342 mg/kg (rabbit) (OECD 404)	

· Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye irritation.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Additional toxicological information:

The product was not tested. The statements is derived from the characteristics of the single components.

(Contd. on page 7)





Printing date 06.07.2021 Version number 5 (replaces version 4) Issue: 06.07.2021

Trade name: ENVIROCLEAN

(Contd. of page 6)

- · 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:				
34590-94-8 Dipropylene glycol monomethyl ether				
LC₅₀/96 h	>10,000 mg/l (Pimephales promelas)			
	969 mg/l (Selenastrum capricornutum)			
LC₅₀/48 h	1,919 mg/l (Daphnia magna)			
7173-51-5 didecyldimethylammonium chloride				
LC₅₀/96 h	0.49 mg/l (Danio rerio) (OECD 203 (Fish, Acute Toxicity Test))			
NOEC/72 h	0.013 mg/l (Pseudokirchneriella subcapitata)			
NOEC/21 d	0.021 mg/l (Daphnia magna) (OECD 211)			
EC₅₀/48 h	0.029 mg/l (Daphnia magna) (OECD 202 (Daphnia sp. Acute Immobilisation Test))			

· 12.2 Persistence and degradability

7173-51-5 didecyldimethylammonium chloride

biodegradability 72 % (OECD 301 B) readily biodegradable

- · Other Information: No data available
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes: Do not allow product to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Must be specially treated adhering to official regulations.
- · Uncleaned packaging:
- · Recommendation: Packaging may be reused or recycled after cleaning.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

GB —



Page 8/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.07.2021 Version number 5 (replaces version 4) Issue: 06.07.2021

Trade name: ENVIROCLEAN

(Contd. of page 7)

SECTION 14: Transport information

· 14.1 UN number or ID number

· ADR, ADN, IMDG, IATA not applicable

· 14.2 UN proper shipping name

· ADR, ADN, IMDG, IATA not applicable

· 14.3 Transport hazard class(es)

· ADR, ADN, IMDG, IATA

· Class not applicable

· 14.4 Packing group

ADR, IMDG, IATA not applicable
 14.5 Environmental hazards: Not applicable.
 14.6 Special precautions for user Not applicable.

· 14.7 Maritime transport in bulk according to IMO

instruments Not applicable.

• UN "Model Regulation": not applicable

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

· Department issuing SDS: Department laboratory

· Abbreviations and acronyms:

ALD: Approximate Lethal Dose

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent





Version number 5 (replaces version 4) Issue: 06.07.2021 Printing date 06.07.2021

Trade name: ENVIROCLEAN

(Contd. of page 8)

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

* Pata compared to the previous version altered

* Data compared to the previous version altered.

GB -